

Wildlife Interpretations

General

Soils directly affect the kind and amount of vegetation that is available to wildlife as food and cover. They also affect the development of water impoundments. The kind and abundance of wildlife that populate an area depend largely on the amount and distribution of food, cover, water, and living space. If any one of these elements is missing, inadequate, or inaccessible, wildlife will be scarce or will not inhabit the area. If the soils have the potential, wildlife habitat can be created or improved by planting appropriate vegetation, properly managing the existing plant cover, and fostering the natural establishment of desirable plants.

Soils are rated according to their potential for providing habitat for various kinds of wildlife. This information can be used in planning parks, wildlife refuges, nature study areas, and other developments for wildlife. It can also be used in selecting soils that are suitable for establishing, improving, or maintaining specific elements of wildlife habitat.

Suitability Ratings

Good - means that the element of wildlife habitat or the kind of habitat is easily created, improved, or maintained. Few or no limitations affect management, and satisfactory results can be expected if the soil is used for the designated purpose.

Fair - means that the element of wildlife habitat or kind of habitat can be created, improved, or maintained in most places. Moderately intensive management is required for satisfactory results.

Poor - means that limitations are severe for the designated element or kind of wildlife habitat. Habitat can be created, improved, or maintained in most places, but management is difficult and requires intensive effort.

Wildlife Habitat Suitability

Description of Wildlife Habitat Elements

Grain and seed crops are seed-producing annuals used by wildlife. Examples are corn, wheat, rye, oats, barley, millet, buckwheat, and sunflowers.

Grasses and legumes are domestic perennial grasses and herbaceous legumes that are planted for wildlife food and cover. Examples are fescue, bluegrass, brome grass, timothy, orchardgrass, clover, alfalfa, trefoil, reed canarygrass, and crownvetch.

Wild herbaceous plants are native and naturally established herbaceous grasses and forbs, including weeds, that provide food and cover for wildlife. Examples are bluestem, indiagrass, blueberry, goldenrod, lambsquarters, dandelions, blackberry, ragweed, wheatgrass, fescue, and nightshade.

Hardwood trees and the associated woody understory provide cover for wildlife and produce nuts or other fruit, buds, catkins, twigs, bark, or foliage that wildlife eat. Examples of native plants are oak, poplar, cherry, apple, birch, beech, maple, ash and viburnum. Examples of fruit-bearing shrubs that are commercially available and suitable for planting on soils rated good are hawthorn,, sumac, silky dogwood, highbush cranberry, and crabapple.

Coniferous plants are cone-bearing trees, shrubs, or ground cover that furnish habitat or supply food in the form of browse, seed, or fruitlike cones. Examples are pine, spruce, hemlock, fir, yew, cedar, larch, and juniper.

Wetland plants are annual and perennial wild herbaceous plants that grow on moist or wet sites, exclusive of submerged or floating aquatics. They produce food or cover for wildlife that use wetland as habitat. Examples of wetland plants are smartweed, wild millet, rushes, sedges, reeds, wildrice, arrowhead, waterplantain, pickerelweed, and cattail.

Shallow water areas are bodies of surface water that have an average depth of less than 5 feet and are useful as habitat for wildlife. They can be naturally wet areas, or they can be created by dams or levees, or by water-control devices in marshes or streams. Examples are muskrat marshes, waterfowl feeding areas, wildlife watering developments, beaver ponds, and other wildlife ponds.

Kinds of Wildlife Habitat

Openland habitat consists of croplands, pastures, meadows, and areas that are overgrown with grasses, herbs, shrubs, and vines. These areas produce grain and seed crops, grasses and legumes, and wild herbaceous plants. The kind of wildlife attracted to these areas include Bobolinks, meadowlark, field sparrow, killdeer, cottontail rabbit, red fox, and woodchuck.

Woodland habitat consists of hardwood or conifers, or a mixture of these and associated grasses, legumes and wild herbaceous plants. Examples of wildlife attracted to this habitat are wild turkey, woodcock, thrushes, woodpeckers, owl, tree squirrels, , porcupine, raccoon, deer, and black bear.

Wetland habitat consists of water-tolerant plants in open, marshy or swampy, shallow water areas. Examples of wildlife attracted to this habitat are ducks, geese, herons, bitterns, rails, kingfishers, muskrat, otter, mink, and beaver.

See the National Soil Survey Handbook, Part 620, for criteria used in rating specific uses.

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
AbE										
ABRAM	Very poor	Poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
ROCK OUTCROP	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
ACC										
ABRAM	Very poor	Poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
ROCK OUTCROP	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
ACE										
ABRAM	Very poor	Poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
ROCK OUTCROP	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
AdA										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
AdB										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
AdC										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
AdD										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
AED										
ADAMS	Very poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
AGC										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
CROGHAN										
	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
AHC										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
AHC										
HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
AHD										
ADAMS	Very poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Au										
AU GRES	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
BeB										
BECKET	Fair	Good	Good	Fair	Fair	Poor	Very poor	Good	Fair	Very poor
BeC										
BECKET	Fair	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
BeD										
BECKET	Poor	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
BgB										
BELGRADE	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
BgC2 BELGRADE	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
BkB BECKET	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
BkC BECKET	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
BkD BECKET	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Bo BIDDEFORD	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
Bp BRAYTON	Very poor	Fair	Poor	Fair	Fair	Good	Fair	Poor	Fair	Fair
PEACHAM	Very poor	Poor	Poor	Poor	Poor	Good	Poor	Poor	Poor	Fair
BRB BRAYTON	Very poor	Fair	Poor	Fair	Fair	Good	Fair	Poor	Fair	Fair

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
BRB PEACHAM	Very poor	Poor	Poor	Poor	Poor	Good	Poor	Poor	Poor	Fair
BuB BUXTON	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
BuC2 BUXTON	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Ca CHARLES	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
CaB CANAAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
CaC CANAAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Cb CHARLES	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
CeB CANAAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
CeC CANAAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
CeE CANAAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
CgB COLTON	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
CgC COLTON	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
CHC COLTON	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Ck COASTAL BEACHES	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
Cp CORNISH	Poor	Fair	Fair	Good	Good	Fair	Fair	Fair	Good	Fair

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
CrA CROGHAN	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
CrB CROGHAN	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
Cu CUT AND FILL										
DeA DEERFIELD	Poor	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
DeB DEERFIELD	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
DfB DIXFIELD	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
DfC DIXFIELD	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
DsB DIXFIELD	Very poor	Good	Poor	Good	Good	Poor	Very poor	Poor	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
DsC										
DIXFIELD	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
Du										
DUNE LAND	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
DUC										
DIXFIELD	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
COLONEL										
COLONEL	Very poor	Good	Poor	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
DWC										
DIXFIELD	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
MARLOW										
MARLOW	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
DXC										
DIXFIELD	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
MARLOW										
MARLOW	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
DXD										
DIXFIELD	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
MARLOW										
MARLOW	Very poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
EmB										
ELMWOOD	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
Gp										
GRAVEL PITS	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
HfB										
HARTLAND	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
HfC2										
HARTLAND	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
HfD2										
HARTLAND	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
HgB										
HERMON	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
HgC HERMON	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
HgD HERMON	Poor	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
HhB HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
HhC HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
HhD HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
HkC HERMON	Very poor	Good	Very poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
HkE HERMON	Very poor	Good	Very poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
HlB HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
H1C										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
H1D										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
HnB										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
HnC										
SUFFIELD	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
HnD										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
HnE										
SUFFIELD	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
HnF										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
HnG										
SUFFIELD	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife- rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
HrB HOLLIS	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HrC HOLLIS	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HrD HOLLIS	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HsB HOLLIS	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HsC HOLLIS	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HsE HOLLIS	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
HTD HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
MONADNOCK	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
HTE										
HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
 MONADNOCK	 Very poor	 Good	 Poor	 Good	 Good	 Very poor	 Very poor	 Poor	 Good	 Very poor
HVC										
HERMON	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
 SKERRY	 Very poor	 Good	 Poor	 Fair	 Fair	 Poor	 Very poor	 Poor	 Fair	 Very poor
Ls										
LIMERICK	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
 SACO	 Very poor	 Poor	 Poor	 Poor	 Poor	 Good	 Fair	 Poor	 Poor	 Fair
LtB										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
 TUNBRIDGE	 Very poor	 Good	 Poor	 Good	 Good	 Poor	 Very poor	 Poor	 Good	 Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
LtC										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TUNBRIDGE	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
LtD										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TUNBRIDGE	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
LUD										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TUNBRIDGE	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
BECKET	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
LUE										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
LUE										
TUNBRIDGE	Very poor	Good	Very poor	Good	Good	Very poor	Very poor	Poor	Fair	Very poor
BECKET	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
LWC										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TUNBRIDGE	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
MONADNOCK	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
LWD										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TUNBRIDGE	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
MONADNOCK	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
LWE										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
 TUNBRIDGE	 Very poor	 Good	 Very poor	 Good	 Good	 Very poor	 Very poor	 Poor	 Fair	 Very poor
 MONADNOCK	 Very poor	 Good	 Poor	 Good	 Good	 Very poor	 Very poor	 Poor	 Good	 Very poor
LXC										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
 TUNBRIDGE	 Very poor	 Good	 Poor	 Good	 Good	 Very poor	 Very poor	 Poor	 Good	 Very poor
 SKERRY	 Very poor	 Good	 Poor	 Fair	 Fair	 Poor	 Very poor	 Poor	 Fair	 Very poor
LyB										
LYMAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
 LyC										
LYMAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
LzB										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
LzC										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
LzE										
LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
MaB										
MARLOW	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
MaC										
MARLOW	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Md										
MADE LAND	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
MeC										
MELROSE	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Mk										
MEDOMAK	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
MkB										
MERRIMAC	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
MkC										
MERRIMAC	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
ML										
MEDOMAK	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
WONSQUEAK										
WONSQUEAK	Very poor	Poor	Poor	Very poor	Very poor	Good	Good	Poor	Very poor	Good
MnB										
MONADNOCK	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
MnC										
MONADNOCK	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
MvC										
MONADNOCK	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
MvD										
MONADNOCK	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
MWC										
MONADNOCK	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
HERMON	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
SKERRY	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
MXC										
MONADNOCK	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
SKERRY	Very poor	Good	Poor	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
Nb										
NAUMBURG	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
NCB										
NAUMBURG	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
CROGHAN	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
NvB										
NICHOLVILLE	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
On										
ONDAWA	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
PbB										
PAXTON	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
PbC										
PAXTON	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
PbD										
PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
PfB										
PAXTON	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
PfC										
PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
PfD										
PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
PkB										
PERU	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
PkC										
PERU	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
PlB										
PERU	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
PlC										
PERU	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Py										
PODUNK	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
RbA										
RIDGEBURY	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
RgA										
RIDGEBURY	Very poor	Fair	Poor	Fair	Fair	Good	Fair	Poor	Fair	Fair
Ro										
ROCK LAND	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
Ro LYMAN	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
Ru RUMNEY	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
RZ RUMNEY	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
sd PODUNK	Poor	Fair	Fair	Good	Good	Poor	Poor	Fair	Good	Poor
sd SAUGATUCK	Poor	Fair	Fair	Fair	Fair	Fair	Poor	Fair	Fair	Poor
Se SEARSPORT	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
SkB SKERRY	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
SkC SKERRY	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
Sn SCANTIC	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
SnB SKERRY	Very poor	Good	Poor	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
SnC SKERRY	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
SnD SKERRY	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
So SCARBORO	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
SOC SKERRY	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
BECKET	Fair	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
SOD SKERRY	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
SOD										
BECKET	Very poor	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Sp										
SEBAGO	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
SRC										
SKERRY	Very poor	Good	Poor	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
SRD										
SKERRY	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
SSC										
SKERRY	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
COLONEL										
COLONEL	Fair	Good	Good	Fair	Fair	Poor	Very poor	Good	Fair	Very poor

WILDLIFE HABITAT SUITABILITY
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
STC										
SKERRY	Very poor	Good	Poor	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
COLONEL	Very poor	Good	Poor	Fair	Fair	Poor	Very poor	Poor	Fair	Very poor
STD										
SKERRY	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
COLONEL	Very poor	Good	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
SuC2										
SUFFIELD	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
SuD2										
SUFFIELD	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
SuE2										
SUFFIELD	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
Sz										
SWANTON	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair

WILDLIFE HABITAT SUITABILITY
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
Tm										
TIDAL MARSH	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
TyB										
TUNBRIDGE	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
LYMAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TyC										
TUNBRIDGE	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
LYMAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
TyD										
TUNBRIDGE	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
LYMAN	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
UaC										
URBAN LAND										

WILDLIFE HABITAT SUITABILITY
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
UaC										
ADAMS	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
UhC										
URBAN LAND										
HERMON	Fair	Good	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Va										
VASSALBORO	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Vb										
VASSALBORO	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
VW										
VASSALBORO	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
WONSQUEAK	Very poor	Poor	Poor	Very poor	Very poor	Good	Good	Poor	Very poor	Good
Wa										
WALPOLE	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good

USDA-Natural Resource Conservation Service-2002

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
Wg										
WHATELY	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
Wh										
WHITMAN	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
Wk										
WONSQUEAK	Very poor	Poor	Poor	Very poor	Very poor	Good	Good	Poor	Very poor	Good
WmB										
WINDSOR	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
WmC										
WINDSOR	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
WmD										
WINDSOR	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
WrB										
WOODBIDGE	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
WrC										
WOODBIDGE	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor

WILDLIFE HABITAT SUITABILITY**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	grain and seed crop	wild herb- aceous plants	grasses and legumes	hard- wood trees	conife rous plants	wetland plants	shallow water area	open land wild life	wood land wild life	wet land wild life
WS										
WONSQUEAK	Very poor	Poor	Poor	Very poor	Very poor	Good	Good	Poor	Very poor	Good
SEARSPORT	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
WsB										
WOODBIDGE	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
WsC										
WOODBIDGE	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor